



Warranty Program for ETERNA-SIL Silicone Coatings



Warranty Period	10 Year		15 Year		20 Year	
Substrate	Min dry mils	**Approx Gal/Sq	Min dry mils	**Approx Gal/Sq	Min dry mils	**Approx Gal/Sq
Metal 904P or 914P	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
BUR/ Asphalt 904P or 914P <small>*Requires Bleed Blocker base coat at 1.0-1.5 gal/100 sf</small>	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
Modified Bitumen 904P or 914P <small>*Requires Bleed Blocker base coat at 1.0-1.5gal/100 sf</small>	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
TPO, PVC, CPE, Hypalon 904P or 914P	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
EPDM 904P or 914P <small>*Requires EPDM Wash at 1 gal/500 sf</small>	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
Structural Concrete 904P or 914P	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
SPF 904P or 914P	21	904P 1.9 914P 1.5	28	904P 2.6 914P 2.0	36	904P 3.3 914P 2.5
Warranty Type	10 Year Material	10 Year Labor & Material	15 Year Material	15 Year Labor & Material	20 Year Material	20 Year Labor & Material
Warranty Fee	No charge	\$0.10/sf \$1,000 min.	No charge	\$0.12/sf \$1,500 min.	No charge	\$0.15/sf \$2,000 min.

** Minimum dry film thickness requirements do not include joints, seams, flashings, cracks, splits, protrusions, drains other details where additional coating may be required. Coverage rates and gallons per square shown are approximate and do not include material losses during application. Moreover, certain surfaces may require additional coating or back rolling to achieve minimum millage requirements.

Foam warranty does not include the foam. *ETERNA-SIL is a trademark of Tropical Roofing Products. Copyright 2016 Tropical Roofing Products. All rights reserved.

FLORIDA
1904 SW 31ST AVE.
HALLANDALE, FL 33009
800.432.2855

CALIFORNIA
14435 MACAW STREET
LA MIRADA, CA 90638
877.827.2622

TEXAS
1225 BRAI DRIVE
PORT ARTHUR, TX 77640
866.727.0091

www.tropicalroofingproducts.com