

ONLINE CERTIFICATIONS DIRECTORY

**TGFU.R37974
Roofing Systems**[Page Bottom](#)

Roofing Systems[See General Information for Roofing Systems](#)

TROPICAL ASPHALT PRODUCTS CORP
14435 MACAW ST
LA MIRADA, CA 90638-5210 USA

R37974

MAINTENANCE AND REPAIR**Class A, B or C**1. **Deck:** C-15/32**Incline:** 1/2

Existing Roof System: – Class A, B or C insulated or noninsulated BUR cap sheet system to retain the existing Classification covered with:

Surfacing: – "Tropical #911 Eternalastic White Elastomeric Roof Coating" or "Tropical #921 Reflex White Elastomeric Roof Coating", at 3 to 4 gal/sq.

2. **Deck:** C-15/32**Incline:** 1/2

Existing Roof System: – Class A, B or C insulated or noninsulated BUR cap sheet system to retain the existing Classification covered with:

Surfacing: – "Tropical #360 Non-Fibered Asphalt Emulsion", at 6 to 12 gal/sq. with one layer of polyester fabric (2.75 lbs/100 sq ft max.), embedded in the emulsion.

Surfacing: – "Tropical #921 Reflex White Elastomeric Roof Coating" or "Tropical #911 Eternalastic White Elastomeric Roof Coating", at 3 to 4 gal/sq.

Last Updated on 2014-12-12

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the UL Environment for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".

CERTIFICATE OF COMPLIANCE

Certificate Number 20141118-R3797 4
Report Reference R37974-20141117
Issue Date 2014-NOVEMBER-18

Issued to: TROPICAL ASPHALT PRODUCTS CORP 14435 MACAW ST
LA MIRAQAG;A 9Q638-5210

This is to certify that **ROOFING SYSTEMS**
representative samples of **Coatings identified as "Tropical #911. Eternalastic White Elastomeric Roof Coating", "Tropical #921 Reflex White Elastomeric Roof Coating" and "Tropical #360 Non-Fibered Asphalt Emulsion" intended for use in Maintenance and Repair Roofing Systems.**

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: **ANSI/UL 790, Tests for Fire Resistance of Roof Covering Materials**

Additional Information: **See the .UL Online Certifications. Directory at www.ul.com/database for additional information**

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (JUL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

