



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** TRP-1 Ultra Seal Multi Purpose Adhesive Sealant  
**Product Code** TRP-1  
**Product(s) Covered** See section 16 for more information

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Recommended use** Adhesives, sealants.  
**Uses Advised Against** No information available

### 1.3. Details of the Supplier of the Safety Data Sheet

#### Company Name

Tropical Roofing Products  
11818 SW 31st Avenue  
Hallandale, FL 33009  
Phone: +1 (800) 535-6947 (Domestic Toll Free)  
Fax: +1 (954) 963-2033  
Email: technical@tropicalroofingproducts.com

### 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332  
(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
--------------------	------------

### 2.2. Label Elements

#### EMERGENCY OVERVIEW

#### WARNING

#### Hazard statements

May cause an allergic skin reaction







# Safety Data Sheet

Tropical Roofing Products  
TRP-1

**Revision Date** 19-Sep-2016  
**Supersedes Date:** No information available  
**Version** 2

<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
<b>Self-protection of the First Aider</b>	First aider: Pay attention to self-protection.

## 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** None known.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## 4.4. Reference to Other Sections

**Reference to Other Sections** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 11: TOXICOLOGY INFORMATION

## **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

#### **Unsuitable Extinguishing Media**

Full water jet.

### 5.2. Special Hazards Arising from the Substance or Mixture

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **Explosion Data**

<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

### 5.3. Advice for Firefighters

#### **Protective Equipment and Precautions for Firefighters**

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protection equipment. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental Precautions

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter



Tropical Roofing Products  
TRP-1

# Safety Data Sheet

**Revision Date** 19-Sep-2016  
**Supersedes Date:** No information available  
**Version** 2

into soil/subsoil. See Section 12 for additional Ecological Information.

## **6.3. Methods and Material for Containment and Cleaning up**

### **Methods for Containment**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

### **Methods for Cleaning up**

Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

## **6.4. Reference to other sections**

### **Reference to Other Sections**

Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## **Section 7: HANDLING AND STORAGE**

### **7.1. Precautions for Safe Handling**

#### **Advice on Safe Handling**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

### **7.2. Conditions for Safe Storage, including any Incompatibilities**

#### **Storage Conditions**

Protect from moisture. Keep away from food, drink and animal feeding stuffs. Recommended storage temperature. 10 - 35 °C.

#### **Incompatible Materials**

None known based on information supplied.

### **7.3. Specific End Use(s)**

#### **Specific Use(s)**

Sealant. Observe technical data sheet.

#### **Other Information**

No information available.

### **7.4. References to Other Sections**

#### **Reference to Other Sections**

Section 13: DISPOSAL CONSIDERATIONS  
Section 10: STABILITY AND REACTIVITY

## **Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control Parameters**

#### **Exposure Guidelines**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Carbon black (1333-86-4) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Limestone CAS 1317-65-3 and Calcium carbonates CAS 471-34-1 is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust	: (30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA total dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	TWA: 0.1 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup> inhalable fraction	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-o,o'), (OC-6-11)- 22673-19-4	STEL: 0.2 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> Sn S*	IDLH: 25 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	-
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	-	TWA: 10 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>	-	-	TWA: 3.5 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-o,o'), (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> Skin STEL: 0.2 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup> Skin	Skin STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 310 mg/m <sup>3</sup>

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methyl alcohol 67-56-1	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 156 ppm TWA: 200 mg/m <sup>3</sup> Skin	TWA: 175 ppm TWA: 229 mg/m <sup>3</sup> Skin	Skin STEL: 250 ppm TWA: 200 ppm

## 8.2. Exposure Controls

### Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

### Engineering Controls

Showers  
Eyewash stations



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

Ventilation systems.

## Personal protective equipment [PPE]

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
<b>Respiratory Protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

<b>Physical State</b>	Solid
<b>Appearance</b>	Paste
<b>Color</b>	Multiple Colors
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	Not applicable

Property	Values	Remarks • Method
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	No information available	
Flash Point	140 °C / 284 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	No information available	
Solubility in Other Solvents		
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

### 9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	>= 97
Density	1.65 g/cm <sup>3</sup>
VOC	< 1 %

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

None under normal use conditions.

## 10.2. Chemical Stability

Stable under recommended storage conditions.

## 10.3. Possibility of Hazardous Reactions

None under normal processing.

## 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

## 10.5. Incompatible Materials

None known based on information supplied.

## 10.6. Hazardous Decomposition Products

None known based on information supplied.

## **Section 11: TOXICOLOGY INFORMATION**

### 11.1. Information on Toxicological Effects

<b>Product Information</b>	No Data Available
<b>Inhalation</b>	No Data Available.
<b>Eye contact</b>	No Data Available.
<b>Skin Contact</b>	No Data Available.
<b>Ingestion</b>	No Data Available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Polypropylene glycol 25322-69-4	LD50 >1000<2000 mg/kg (Rat)	-	-
Carbonic acid, calcium salt (1:1) 471-34-1	= 6450 mg/kg ( Rat )	>2000 mg/kg	LC50 (4h) >3mg/ml (Rat)
Titanium dioxide 13463-67-7	> 10000 mg/kg ( Rat )	-	-
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine 1760-24-3	= 7460 µL/kg ( Rat )	-	LC50 4H (Aerosol) 1.5 - 2.44 mg/L air
Quartz 14808-60-7	>2000 mg/kg ( Rat )	-	-
Carbon black 1333-86-4	> 15400 mg/kg ( Rat )	> 3 g/kg ( Rabbit )	-

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

<b>Symptoms</b>	No information available.
<b>Skin Corrosion/Irritation</b>	No information available.
<b>Serious Eye Damage/Eye Irritation</b>	No information available.
<b>Irritation</b>	No information available.
<b>Corrosivity</b>	No information available.





# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

<b>Sensitization</b>	No information available.
<b>Germ Cell Mutagenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>Developmental Toxicity</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Chronic Toxicity</b>	No information available.
<b>Target Organ Effects</b>	Eyes, Lungs, Respiratory system, Skin.
<b>Aspiration Hazard</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition of use.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	X
Quartz 14808-60-7	A2	Group 1	Known	X
Carbon black 1333-86-4	A3	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)  
 A2 - Suspected Human Carcinogen  
 A3 - Confirmed animal carcinogen with unknown relevance to humans  
 IARC (International Agency for Research on Cancer)  
 Group 1 - Carcinogenic to Humans  
 Group 2B - Possibly Carcinogenic to Humans  
 NTP (National Toxicology Program)  
 Known - Known Carcinogen  
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
 X - Present

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmodesmus subspicatus)	CL50 (96h) >10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine 1760-24-3		LC50 (96H) =597 mg/L Fish (Danio rerio)Semi-static		EC50 (48h) =81mg/L Daphnia magna Static
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203		EC50 24 h > 5600 mg/L (Daphnia magna )
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l		

### 12.2. Persistence and Degradability





# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

### 12.5 Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

#### **Disposal of Wastes**

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

#### **Contaminated Packaging**

Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORTATION INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

## Section 15: REGULATORY INFORMATION

### Global Inventories

<u>TSCA</u>	Listed
<u>DSL</u>	Listed

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

D2B - Toxic materials



Tropical Roofing Products  
TRP-1

# Safety Data Sheet

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2



## United States of America

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### **SARA 311/312 Hazard Categories**

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No.
Titanium dioxide	13463-67-7
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1
Quartz	14808-60-7
Carbon black	1333-86-4
Methyl alcohol	67-56-1

## **Europe**

### **Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU**

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

### **EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59**

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No.
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	25973-55-1

## **Section 16: OTHER INFORMATION**

### **Product(s) Covered**



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

Revision Date 19-Sep-2016  
Supersedes Date: No information available  
Version 2

A78000	PRO MS wht PCt10.1OZ/C24
A78000-7C	PRO MS wht MP5GL/P24
A78000-95	PRO MS wht MD716LB(52GL)/P3
A78000-95L	PRO MS wht MP52GL(716LB)/P3
A78010	PRO MS blk PCt10.1OZ/C24
A78010-95L	PRO MS/BLK/DRM/52GL/VRWTLB/3PP
A78020	PRO MS alu gry PCt10.1OZ/C24
A78020-95L	PRO MS alu gryMD52GL(698LB)/P3
A78030	PRO MS mdm brz PCt10.1OZ/C24
A78030-95L	PRO MS mdm brzMD52GL(698LB)/P3
A78040	PRO MS tcotta PCt10.1OZ/C24
A78040-95L	PRO MS tcotta MD52GL(698LB)/P3
A78050	PRO MS cptltan PCt10.1OZ/C24
A78050-95L	PRO MS cptltanMD52GL(698LB)/P3
A78060	PRO MS dsrt tan PCt10.1OZ/C24
A78060-95L	PRO MS dsrttanMD52GL(698LB)/P3
A78070	PRO MS stone PCt10.1OZ/C24
A78070-95L	PRO MS stone MD52GL(698LB)/P3
A78080	PRO MS lmstn PCt10.1OZ/C24
A78080-95L	PRO MS lmstn MD52GL(698LB)/P3
A78090	PRO MS lght gry PCt10.1OZ/C24
A78090-95L	PRO MS lghtgryMD52GL(698LB)/P3
A78100	PRO MS brz PCt10.1OZ/C24
A78100-95L	PRO MS brz MD52GL(698LB)/P3
A78110	PRO MS antqwht PCt10.1OZ/C24
A78110-95L	PRO MS antqwhtMD52GL(698LB)/P3
A78500	PRO MS wht Sau20OZ/C12
A78510	PRO MS blk Sau20OZ/C12
A78520	PRO MS alu gry Sau20OZ/C12
A78530	PRO MS mdm brz Sau20OZ/C12
A78550	PRO MS cptltan Sau20OZ/C12
A78560	PRO MS dsrt tan Sau20OZ/C12
A78570	PRO MS stn Sau20OZ/C12
A78580	PRO MS lmstn Sau20OZ/C12
A78590	PRO MS lght gry Sau20OZ/C12
A78600	PRO MS brz Sau20OZ/C12
A78610	PRO MS antqwht Sau20OZ/C12

**HMIS**                      **Health Hazards 2**                      **Flammability 1**                      **Physical Hazards 1**                      **Personal Protection X**

## Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

## Key Literature References and Sources for Data

No information available

**Prepared By**                      Product Safety & Regulatory Affairs

**Revision Date**                      19-Sep-2016

**Revision Note**                      Not applicable.

**Training Advice**                      No information available

**Additional information**                      No information available

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its



# Safety Data Sheet

Tropical Roofing Products  
TRP-1

**Revision Date** 19-Sep-2016  
**Supersedes Date:** No information available  
**Version** 2

---

publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**