

WARRANTY PROGRAM FOR ETERNA-SIL DIRECT-BOND

Silicone Coatings

WARRANTY PERIOD	10 YEAR		15 YEAR		20 YEAR	
SUBSTRATE	Min Dry Mils	Approx Gal/Sq Ft ⁶	Min Dry Mils	Approx Gal/Sq Ft ⁶	Min Dry Mils	Approx Gal/Sq Ft ⁶
Metal 923 or 924 ¹	22	923 2.0 924 1.5	- 30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
BUR/Asphalt 923 or 924 ^{2,3}	22	923 2.0 924 1.5	- 30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
Modified Bitumen 923 or 924 ²	22	923 2.0 924 1.5	- 30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
TPO, PVC CPE, Hypalon	22	923 2.0 924 1.5	30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
EPDM 923 or 924 ⁵	22	923 2.0 924 1.5	30	923 2.75 924 2.0	38	923 3.5 924 2.5
Structural Concrete 923 or 924	22	923 2.0 924 1.5	- 30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
SPF 923 or 924	22	923 2.0 924 1.5	30	923 2.75 924 2.0	- 38	923 3.5 924 2.5
WARRANTY TYPE	10 Year Material	10 Year Labor + Material	15 Year Material	15 Year Labor + Material	20 Year Material	20 Year Labor + Material
WARRANTY FEE	No Charge	\$0.13/sq ft \$1,500 min	No Charge	\$0.16/sq ft \$2,000 min	No Charge	\$0.20/sq ft \$3,000 min

¹997 – 1.0 gal/sq ft only on metal roofs. | ² Requires 996 Bleed Blocker base coat at 1.5 gal/100 sq ft. | ³ This excludes gravel or coal tar pitch, please consult your Tropical Roofing Products' representative. | ⁴ 997 – 1.0 gal/sq ft. | ⁵ Requires 652 Roof Wash at 1.0 gal/500 sq ft. | ⁶ Minimum dry film thickness requirements do not include joints, seams, flashings, cracks, splits, protrusions, drains other details where additional coating may be required. Coverage rates and gallons per square shown are approximate and do not include material losses during application. Moreover, certain surfaces may require additional coating or back rolling to achieve minimum millage requirements.

Foam warranty does not include the foam. ETERNA-SIL is a trademark of Tropical Roofing Products. Copyright 2022 Tropical Roofing Products. All rights reserved.

